MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK

Physiotherapy Faculty INFRASTRUCTURE DETAILS OF COLLEGE AND HOSPITAL

Sr. No		Actual Available	
	College		
1	Land details (as per M.S.R.):Total land (Not less than 2 acres), (Owned or leased land), unitary or not, NA of all land, 7/12 extracts of all land, Constructed Area Details 40339.24 Sq.ft./Sq.mtr. (Applicable only to Private Colleges). (Verify land documents & Government permissions documents are uploaded on College Website.)	Adequate	
	(No Land/ Construction documents shall be submitted to the University.		
2	Only deficit information to be pointed out to the University). Dean office, Professor's Office, Associate Professor's Office, Assistant		-
	Professor's Office , Administrative Block as per M.S.R	Adequate	
3	All DEPARTMENTS (as per M.S.R.): Human Anatomy, Human Physiology, Electrotherapy & Electrodiagnosis, Kinesiotherapy & Physical Diagnosis, Musculoskeletal Physiotherapy, Neuro Physiotherapy, Cardiovascular & Respiratory Physiotherapy, Community Physiotherapy	Adequate	
4	College Library (as per M.S.R.): Area (1200 Sq.Ft.), Reading Rooms for Students, Staff Reading Room, Room for Books & Journals, Rooms for Librarian and Other Staff; Journal Room, Number of Computers with internet facility with minimum 15 nodes, Photocopier Machine, Total No. of books, Number of Journals: (Titles only), (Multiple volumes / issues of one title should be counted as ONE).	Adequate	
	No. of books added in last year: 40 No. of Journals titles added in last year: [Bills shall be verified by the Committee.]	Adequate	
	Digital Library /e – Library availability	Adequate	
	MUHS Digital Library Availed	Adequate	
5	Details of all Lecture Theatres with Seating Capacity (as per M.S.R.)along withAV Aids including overhead projector, LCD Projector and a microphone / multi Podium system. There shall be provision for E-class. Lecture halls must have facilities for conversion into E-class/Virtual class for teaching.	Adequate	
5	Conference Room for Faculty: (as per M.S.R.)	Adequate	
'	Mini Auditorium: (15 Sq.Ft./Student) (as per M.S.R.)	Adequate	
	Class Rooms: (15 Sq.Ft./Student) (as per M.S.R.)	Adequate	T
	Core Laboratories: (as per M.S.R.) Exercise Physiology & Fitness: Computerized Treadmill, Bicycle ergometer with speedometer, Skin fold caliper, Body composition analyzer, Weighing scale with height measurement, Spirometer, Peak flow meter, Energy Consumption analyzer, Pulse Oxymeter, ECG, Flutter, Inspiratory Muscle Trainer, Oxygen Cylinder, Nebulizer (ultrasonic), Nebulizer (Jet), Portable Suction Machine, B.P. Apparatus & Stethoscope, Shuttle Walk Test Software (Desirable).	Adequate .	
.0	Physiotherapy Museum: (as per M.S.R.) (Desirable)	Adequate	
	Yoga / Clinical Skill Laboratory: (as per M.S.R.) Yoga Mats / Pediatric Mats / Mats for Training Neurotherapeutic Skills, Adjustable Manual Therapy Plinth, Therabands & Theratubes, Swiss balls, Stability Trainers, Sensory Assessment Kit, Balance Assessment & Training Equipment, Stools, Benches, Wheel Chairs, Stairs, Ramps For Training Transfers.	Adequate	
2	University Examination Infrastructure: Strong Room for examination a) (Area- 1200 sq.ft, b) Shelf, c) Steel cupboard – 1, d) CCTV, Photocopier Machine, Examination hall with benches, Parking Facility for University vehicle, Guest house facility Residential quarter facility for staff:	No	S Physion of Physion o
	RESIDERIAL QUARTER TACILITY for chaff.		A

14	Other facilities: Hospital Waste Management Unit, Research Cell, Intercom Network, Playground, P.T Teacher or Instructor, Common Rooms for Boys, Common Room for Girls, Cafeteria, Facility for Indoor games, Gymnasium / Gymkhana Facility.	Yes					
15	Hostel Facility: Boys (UG), Girls (UG), Interns, Canteen Facility, Warden/ Rector, Hygiene, etc. [Note: Verify Canteen Facility is monitored as per MUHS Circular No.18/2019 dated 19/03/2019.]	Yes					
	 As per Central Council Norms/ University Norms, above Infrastructure must be available at College and all information with photographs must be uploaded on College Website. If Infrastructure is available, then mark "Adequate" & do not attach any documents. In case of "Inadequate", it must bemarked as "Inadequate" with documentary evidence. 						

	HOSPITAL						
16	Hospital Details	Actual Available	Lacuna				
	Name of the Hospital : Shri. Prakashchand Jain Multi – Speciality Hospital	Yes					
	Bed Strength:						
	Number of beds registered as per BNH act:	1					
17	Clinical Facilities: Parent / Attached Hospital (Govt./Civil/Private) Must be within 10km. radius of the College						
a.	Total built up area of Hospital (in Sq.Ft.): 4092.98 sq/mtr	Yes					
b.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: (Please attach copy of registration certificate)	Yes .					
c.	Whether Casualty is available and functional:	Yes					
18	Required Beds (UG & PG) Indoor and Outdoor Facility (as per M.S.R.)	Yes					
19	Ambulances : Owned, Hired	Yes					
	Any other						
	 As per Central Council Norms/ University Norms, above Infrastructure must be available at Colleg and all information with photographs must be uploaded on College Website. If Infrastructure is available, then mark "Adequate" & do not attach any documents. In case of "Inadequate", it must be marked as "Inadequate" with documentary evidence. 						


Infrastructure

College Building: Own

Total built up are a available for college building 40339.24:sq.ft.

Intake capacity: 30





The below mentioned is Minimum Standard Requirement For UG

Space allotment	10 Intake	30 Intake	31 to 40 Intake	41 to 50 Intake	51 to 60 Intake	61 to 100 Intake	Actual available	
Administrative office with storage space	300	300	300	400	400	500	Available	E
Director/dean/principal /H.O.D.'s office	400	400	400	400	400	400	Available	
Professor's office	NA	300	300	600	600	750	Available	
Associate Professor's office	100	400	400	600	600	1000	Available	
Assistant Professor's office	225	525	525	600	600	1275	Available	
Conference room	300	300	300	300	500	500	Available	-
Mini Auditorium	1500	1500	1500	1500	1500	1600	Available	
Anatomy	1200	1200	1200	1200	1500	1500	Available	
Physiology	1200	1200	1200	1200	1500	1500	Available	
Electrotherapy & Electrodiagnosis	1200	1200	1200	1200	1500	1500	Available	
Kinesiology, Kinesiotherapy & Movement Sciences	1200	1200	1200	1200	1500	1500	Available	
Clinical Skill Lab / Yoga Lab	1200	1200	1200	1200	1500	1500	Available	*
Therapeutic Gym	1200	1200	1200	1200	1500	1500	Available	
Indoor-physiotherapy department	1200	1200	1200	1200	1200	1200	Available	
Out-door physiotherapy department	5000	5000	5000	5000	6000	6000	Available	
Recreational Area	600	600	1000	1200	1200	1200	Available	
Library Space	300	600	900	1000	1200	2000	Available	
Class Rooms (15 Sq Ft per student 1 class room for each year)	150 / Classroom 600	450 / Classroom 1800	600 / Classroom 2400	750 / Classroom 3000	900 / Classroom 3600	1500 / Classroom 6000	Available	
Student Girls Common Rooms	600	500	800	1000	1000	1200	Available	
Student Boys Common Rooms	250	250	250	400	400	600	Available	
Final Year Departmental Area	1200	1200	1200	1500	1500	2000	Available	
Total Available	19775	22075	23675	25900	29700	35225	Available	

^{*} In absence of attached Medical College: Library space should be 2000 Sq.Ft

Verified by The LIC Committee Members

Shri. Prakashchand Jain College of Physiotherapy & Research Palaskhede (Bk.) Tal. Jamner Dist. Jalgaon (MS) Pin-424206



84


नौंदणीचे प्रमाणपत्र

याद्वारे प्रमाणपत्र देण्यात येते की, खाली वर्णन केलेली तार्वजनिक विश्वस्तव्यवस्था ही आजं, सुंबई सार्वजनिक विश्वस्तव्यवस्था अधिनियम, १९५० (सन १९५० चा मुद्धई अधिनियम क्रमांक २९) या अन्वये विश्वस्तव्यवस्था नोंदणी क्रिक्ट विश्वस्तव्यवस्था नोंदणी कार्यालयात योग्य रीतीने नोंदण्यात आलेली आहे.

रावंजितक विकासत्व्यवस्थेने नाव पुरिद्धित्रीन्ये जी । व्यक्ति द्विप्ति । व्यक्ति विकासत्व्यवस्थां व्यक्ति विकासत्व । विकासत्व्यवस्थां व्यक्ति विकासत्व्यवस्थां व्यक्ति विकासत्व । विकासत्व्यवस्थां व्यक्ति विकासत्व । विकासत्व विकासत्व । विकासत्व विकासत्व विकासत्व विकासत्व । विकासत्व विकासत्व विकासत्व विकासत्व विकासत्व विकासत्व विकासत्व । विकासत्व विकासत्व विकासत्व विकास विका

आज दिनांक 25 € २००८ रोजा माझ्या पहीतिशी दिले.

গ্ৰিকা



- Scanned with OKEN Scanner
- Scanned with OKEN Scanner

क्रमांक

091



नोंदणी प्रमाणपत्र

संस्था नोंदणी अधिनियम, १८६०

(१८६० चा अधिनियम २१)


नोंदणी क्रमांक <u>सह</u> 1- 90324 जिला


याद्वारे असे प्रमाणित करण्यात येते की. प्रमानिति जी का का हु है किए। संभागित जामिन स

खालील तारखेस सरथा नोंदणी अधिनियम, १८६० (सन १८६० चा अधिनियम २१) अन्वयं योग्यरीत्या नोंदणी करण्यात आली.

तारीख: 22/06/200r

रोजी माझ्या सहीनिशी दिले






श परणा विस्तास निवसक निवसक

विभाग

Scanned with OKEN Scanner



रजिस्ट्रेशन सर्टिफिकेट

दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन जॅक्ट १९८९ व सुधारित २००६ चे कलम ५ (नियम ५) अन्वये विलेले

CERTIFICATE OF REGISTRATION

Under section 5 of the Bombay Nursing Homes
Registration Act , 1949
(Under Rule 5)

क्रमांक No : 147

वि बॉम्बे नर्मिंग होम्म रिमम्बेशन अंगर मुधारीत २००६ अन्वय की प्रमानगढ भैन बहुउददेशिय संस्था संचलीत थी प्रकाशगंद जैन मल्टीस्पेशालीटी हॉम्पीटल गट नं. ८६/१/२, मौजे पळासखेडे बु.ता.जामनेर, जि.जळगाव वेकील हॉम्पीटल ह नर्मिंग होम/मॅटर्निटी रिजस्टर केले असून सदरचे नर्मिंग होम/मॅटर्निटी होमडॉ. सागर धणसिंग पाटील यांचे निरीक्षणात चालविष्णाम परवाना देण्यात केल आहे.

This is certify that Shri Prakashchand Jain Bahuddeshiya Sanstha Sanchalit Shri Prakashchand Jain Multi-Speciality Hospital situated at G.No. 86/1/2 Palaskhede Bk., Tal. Jamner, Dist. Jalgaon. has been registered under the Bombay Nursing Homes Registration Act, Amendment 2006, under the inspection of Dr. Sagar Dhansing Patil and has been authorised carry on the Nursing Home.

रजिस्ट्रेशन क : १४७ प्रमुतीसाठी Registration No : 147 Maternity

Registration No : 147 Maternity : 22 Cots रिजस्ट्रजन दि : १७८/२०२० इतर सम्भागाडी १७८ वर्षेट्स

Date of Registration : 01/06/2020 Other Paitents : 178 Cots

Place: Palkskhede Bk. Tal.Jamner, Dist. Jalgaon

Date of issue of Certificate: 28/07/2020

मटीपिजेटची मृदन - ३१ मार्च २०२३

his Gerificate shall be valid Upto 31 March 2023.

जिल्हा आरोज अधिकारी

DISTRICT HEALTH OFFICER
ZILHA PARISHAD JALGAON

भर्में भणाची माहीती जवळच्या भामिक्य रूप्णालयात कळविणे बंधणकारक राहील

Scanned with OKEN Scanner

२२ कॉटम

