

MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK

INFRASTRUCTURE DETAILS OF COLLEGE AND HOSPITAL

Sr. No.	Particulars to be Verified	Details on College Website	Adequate/ Inadequate
College			
1	Land details (as per M.S.R.): Total land (Not less than 2 acres), (Owned or leased land), unitary or not, NA of all land, 7/12 extracts of all land, Constructed Area Details.. 40339.24 . Sq.ft.. (Applicable only to Private Colleges). (Verify land documents & Government permissions documents are uploaded on College Website.) (No Land/Construction documents shall be submitted to the University. Only deficit information to be pointed out to the University)	Yes	Adequate
2	Dean office, Professor's Office, Associate Professor's Office, Assistant Professor's Office, Administrative Block as per M.S.R..	Yes	Adequate
3	All DEPARTMENTS (as per M.S.R.): Human Anatomy, Human Physiology, Electrotherapy & Electro diagnosis, Kinesiotherapy & Physical Diagnosis, Musculoskeletal Physiotherapy, Neuro Physiotherapy, Cardiovascular & Respiratory Physiotherapy, Community Physiotherapy	Yes	Adequate
4	College Library (as per M.S.R.): Area (1200 Sq.Ft.), Reading Rooms for Students, Staff Reading Room, Room for Books & Journals, Rooms for Librarian and Other Staff; Journal Room, Number of Computers with internet facility with minimum 15 nodes, Photocopier Machine, Total No. of books, Number of Journals: (Titles only), (Multiple volumes/issues of one title should be counted as ONE).	Yes	Adequate
	No. of books added in last year: Purchase order send: 122 No. of Journals titles added in last year : Purchase Order send 6 [Bills shall be verified by the Committee.]	No	Adequate
	Digital Library /e - Library availability	Yes	Adequate

5	Details of all Lecture Theatres with Seating Capacity (as per M.S.R.) along with AV Aids including overhead projector, LCD Projector and a microphone / multi Podium system. There shall be provision for E-class. Lecture halls must have facilities for conversion into E-class/Virtual class for teaching.	Yes	Adequate
6	Conference Room for Faculty: (as per M.S.R.)	Yes	Adequate
7	Mini Auditorium: (15 Sq.Ft./Student) (as per M.S.R.)	Yes	Adequate
8	Class Rooms: (15 Sq.Ft./Student) (as per M.S.R.)	Yes	Adequate
9	Core Laboratories: (50 Sq.Ft./Student) (as per M.S.R.) Exercise Physiology & Fitness : Computerized Treadmill, Bicycle ergometer with speedometer, Skin fold caliper, Body composition analyzer, Weighing scale with height measurement, Spirometer, Peak flow meter, Energy Consumption analyzer, Pulse Oxymeter, ECG, Flutter, Inspiratory Muscle Trainer, Oxygen Cylinder, Nebulizer (ultrasonic), Nebulizer (Jet), Portable Suction Machine, B.P. Apparatus & Stethoscope, Shuttle Walk Test Software (Desirable). Physiotherapy Museum: (as per M.S.R.) (Desirable)	Yes	Adequate
10	Physiotherapy Museum: (as per M.S.R.) (Desairable)	Yes	Adequate
11	Yoga / Clinical Skill Laboratory: (60 Sq.Ft./Student) (as per M.S.R.) Yoga Mats / Pediatric Mats / Mats for Training Neurotherapeutic Skills, Adjustable Manual Therapy Plinth, Therabands & Theratubes, Swiss balls, Stability Trainers, Sensory Assessment Kit, Balance Assessment & Training Equipment, Stools, Benches, Wheel Chairs, Stairs, Ramps For Training Transfers.	Yes	Adequate
12	University Examination Infrastructure: Strong Room for examination a) (Area- 1200 sq.ft, b) Shelf, c) Steel cupboard - 1, d) CCTV, Photocopier Machine, Examination hall with benches, Parking Facility for University vehicle, Guest house facility	Yes	Adequate
13	Residential quarter facility for staff: Teaching, Non-teaching, Paramedical & Nursing staff	No	
14	Other facilities: Hospital Waste Management Unit, Research Cell, Intercom Network, Playground, P.T Teacher or Instructor, Common	Yes	Adequate

	Rooms for Boys, Common Room for Girls, Cafeteria, Facility for indoor games, Gymnasium / Gymkhana Facility..		
15	Hostel Facility: Boys (UG), Girls (UG), Interns, Canteen Facility, Warden/ Rector, Hygiene, etc. [Note: Verify Canteen Facility is monitored as per MUHS Circular No.18/2019 dated 19/03/2019.]	Yes	Adequate
16	<ul style="list-style-type: none"> As per Central Council Norms/ University Norms, above Infrastructure must be available at College and all information with photographs must be uploaded on College Website. If Infrastructure is available, then mark "Adequate" & do not attach any documents. In case of "Inadequate", it must be marked as "Inadequate" with documentary evidence 		

HOSPITAL			
	Hospital Details	Details on College Website	Adequate/ Inadequate
16	Name of the Hospital: <u>1) Shri. Prakashchand Jain Mulsti-Speciality Hospital, Palaskhede Bk</u> <u>2) Sanjivani Hospital, Jamner</u> <u>3) Mira Multispeciality Hospital, Jamner</u>	Yes	Adequate
	Bed Strength: 300 (Three Hundred)		
	Number of Beds registered as per BNH act: 300		
17	Clinical Facilities: Parent / Attached Hospital (Govt./Civil/Private) Must be within 10km. radius of College		
a.	Total Built up area of Hospital (In Sq. Ft.) ...33489.82.....	Yes	Adequate
b.	Whether Hospital is registered under any act under Local Authority such as corporation, Municipality, Gram Panchayat etc.,: (Please attach copy of Registration Certificate)	Yes	Adequate
c.	Whether Casualty is available and functional	Yes	Adequate
18	Required Beds (UG & PG) Indoor and Outdoor Facility (As per M.S.R.)		Yes
19	Ambulance: Owned,Hired		Hired

	Any other	
	<ul style="list-style-type: none"> • As per Central Council Norms/ University Norms, above Infrastructure must be available at college and all information with photographs must be uploaded on college Website. • If Infrastrucure is available, then mark "Adequate" & do not attach any documents. • In case of " Inadequate" , it must be marked as "Inadequate" with documentary evidence. 	



Dean/ Principal Stamp & Signature

PRINCIPAL

Shri. Prakashchand Jain College
of Physiotherapy & Research
Palaskhede (Bk.) Tal. Jamner
Dist. Jalgaon (MS) Pin-424206